

SPECIMEN LABEL

CARDINAL 3% INSECTICIDE

ACTIVE INGREDIENTS:

Resmethrin..... 3.00%
*INERT INGREDIENTS:..... 97.00%
TOTAL..... 100.00%

*Contains Petroleum Distillate.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center immediately. Because of aspiration potential, do not induce vomiting unless under direct medical supervision. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 8536-34
Cardinal Professional Products

P.O. Box 782

EPA Est. No. 48498-CA-01
Hollister, CA 95024

Precautionary Statements Hazards to Humans and Domestic Animals

Caution

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water separately from other clothing before reuse. Do not apply directly to processed food. In commercial food handling facilities, processed food and processing equipment should be covered or removed during application. Do not apply as a space spray while food processing is underway. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound and rinsed with potable water after spraying. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pet birds, and cover fish aquariums before spraying.

First Aid

IF SWALLOWED: Call a physician or poison control center immediately. Because of aspiration potential, do not induce vomiting unless under direct medical supervision. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

Environmental Hazards

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water.

Physical or Chemical Hazards

SPECIMEN LABEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SPACE SPRAYING: Atomize with an Atomizer or Electric Sprayer. To kill Flies, Mosquitoes and Gnats, atomize one pint of CARD-O-SECT per 10,000 cubic feet of space.

Keep doors and windows closed in order to obtain maximum results. Premises should be closed for at least ten minutes after spraying.

CONTACT SPRAYING: Power Spray directly where possible on Roaches, Ants, Earwigs, Grain Mites, Spiders, Sowbugs, Centipedes and Wasps. Spray with a Hand or Electric Sprayer, or Compressed Air Spray Gun.

CAUTION: Use this product as a space spray in food processing plants only when plant is not operating. Foods should be removed, or covered, and all processing surfaces should be covered or thoroughly cleaned before using. Do not remain in treated areas and ventilate the area after treatment is completed.

For ULV use in mechanical aerosol generators such as the LECO Mini ULV or Microgen. Apply undiluted at the rate of 0.5 fl. Oz. of concentrate per 1,000 cubic feet of space. Direct output from aerosol generators upward toward upper corners of room and ceiling. This undiluted spray may be applied in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Extinguish all flames in the area to be treated. Shut off all air conditioning or ventilating equipment.

Vacate room before application. Leave closed for one hour after spraying. Ventilate room thoroughly before re-entry.

SPACE SPRAY: To kill adult and accessible stages of insect pests of stored foods. Grain Weevils, Flour Beetles, Saw-toothed Grain Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Grain Mites, Carpet Beetles and Spider Beetles. Direct output into corners, under pallets and around stacks of packaged foods hitting as many of the insects as possible and then treat as a space spray toward corners of room and ceiling.

To kill flies, mosquitoes, gnats, treat as a space spray directing output toward upper corners of room and ceiling.

CONTACT SPRAY: Use undiluted to kill roaches, silverfish, earwigs, ants, spiders, crickets, centipedes, sowbugs, millipedes, carpet beetles. Apply the spray as a coarse wet spray into all cracks and crevices in woodwork, walls, floors, beneath sinks and other insect harborages, contacting as many insects as possible.

DIRECTIONS FOR USE - continued

SPECIMEN LABEL

To kill wasps and hornets, contact application should be made in late evening when insects are at rest. Spray liberally into hiding places, contacting as many insects as possible. Repeat as necessary.

For mechanical misting equipment such as the Micro-sol or Challenger Machine:
Diluting Instructions-Dilute to 0.5% resmethrin by adding 1 fl. Oz. of the 3% concentrate to 5 fl. Oz. of petroleum distillate.

Dilute to 0.25% resmethrin by adding to 1 fl. Oz. of the 3% concentrate to 11 fl. Oz. of petroleum distillate.

Dilute to 0.20% resmethrin by adding 1 fl. Oz. of 3% concentrate to 14 fl. Oz. of petroleum distillate.

Dilute to 0.10% resmethrin (which would be used for flying insects only) by adding 1 fl. Oz. of 3% concentrate to 20 fl. Oz. of petroleum distillate.

For most effective results against flying insects, operate spraying dispenser adjusted to deliver a fine mist. For flying insects, use either 0.10% or 0.25%.

To kill flies, mosquitoes, gnats, wasps, hornets and small flying moths. Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room before re-entry. Repeat as necessary.

To kill crawling insects, adjust spray to produce large wetting type spray particles and use either 0.25% or 0.50%.

To kill roaches, earwigs, grain mites, sowbugs, spiders, silverfish, crickets, centipedes and grain insects, (adults and accessible stages of confused flour beetles, red flour beetles, sawtoothed grain beetles, shiny spider beetles, carpet beetles, grain weevils, Angoumois grain moths, Indian meal moths): Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

To kill ants. Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

THERMAL APPLICATORS, INDOORS - Use 0.2% resmethrin for the control of flies, mosquitoes, gnats in warehouses, restaurants and industrial institutions. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1-1/3 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated areas. Ventilate before re-entry.

This concentrate is designed for use undiluted in ULV sprayers such as the LECO Mini or Micro-Gen, which give particles of aerosol size. It can also be diluted with oils which meet Food Additive Regulations 121.1182 for use in mechanical fogging equipment such as the Microsol or Challenger machines, which give larger particles. It can also be diluted with oil as specified and applied as a contact spray.

In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

Before application, remove plants and animals from area to be treated. Remove horses before spraying stables.

SPECIMEN LABEL

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in cool, dry area.

Pesticide Disposal: wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

WARRANTY STATEMENT: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product is beyond the control of the manufacturer. No guarantee, expressed or implied, is made as to the effect of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such or in combination with other materials