

**RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

PIC-BROM 25

PREPLANT SOIL FUMIGANT

ACTIVE INGREDIENTS:

Methyl Bromide 75%

Chloropicrin 25%

OTHER INGREDIENTS: 0%

TOTAL: 100%

WEIGHT: 14.4 POUNDS PER GALLON



CARDINAL PROFESSIONAL PRODUCTS
P. O. Box 782 • Hollister • CA 95024

EPA Reg. No. 8536-11

EPA Est. 8536-CA-4 ◀
7747-CA-1
5785-CA-1

NET CONTENTS:.....LBS.

KEEP OUT OF REACH OF CHILDREN

DANGER



PELIGRO

POISON

PELIGRO: Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**IN ALL CASES OF OVEREXPOSURE,
GET MEDICAL ATTENTION IMMEDIATELY.
TAKE PERSON TO A DOCTOR OR TO
AN EMERGENCY TREATMENT FACILITY.**

FIRST AID

IF INHALED: Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Give oxygen if needed. Do not give anything by mouth to an unconscious person. Seek medical attention.

IF ON SKIN: Immediately remove contaminated clothing, shoes, and other items covering the skin. Wash contaminated skin area thoroughly with soap and water.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes.

NOTE TO PHYSICIAN

Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness, and collapse. Lung edema may develop ion 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposure can result in blurred vision, staggering gait, and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

See side panels for additional precautionary statements.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: **DANGER**

EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE. INHALATION MAY BE FATAL OR CAUSE SERIOUS ACUTE ILLNESS OR DELAYED LUNG OR NERVOUS SYSTEM INJURY. DO NOT BREATHE VAPORS. LIQUID OR EXCESSIVE VAPOR CAN CAUSE SERIOUS SKIN OR EYE INJURY WHICH MAY HAVE A DELAYED ONSET. DO NOT GET LIQUID ON SKIN, IN EYES, OR ON CLOTHING.

THIS PRODUCT CONTAINS CHLOROPICRIN, WHICH MAY BE IRRITATING TO THE UPPER RESPIRATORY TRACT, AND EVEN AT LOW LEVELS CAN CAUSE PAINFUL IRRITATION TO THE EYES, PRODUCING TEARING. IF THESE SYMPTOMS OCCUR, LEAVE THE FUMIGATION AREA IMMEDIATELY.

AIR CONCENTRATION LEVEL

The acceptable air concentration level for persons exposed to chloropicrin is **0.1 ppm** (0.7 mg/m³). The acceptable air concentration level for persons exposed to methyl bromide is **5 ppm** (20 mg/m³). The air concentration level is measured by a direct reading detection device, such as a Matheson-Kitagawa.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Loose-fitting or well ventilated long-sleeved shirt and long pants
- Shoes and socks
- Full-face shield or safety glasses with brow and temple shields when handling liquid product (Do NOT wear goggles.)
- When the air concentration level of methyl bromide is above 5 ppm and a respirator is required, protect the eyes by wearing a full-face respirator.
- No respirator is required, if the air concentration level of chloropicrin in the working area is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide in the working area is measured to be less than 5 ppm.
- **A respirator is required if the acceptable air concentration level of 0.1 ppm for chloropicrin OR 5 ppm for methyl bromide is exceeded at any time.** The respirator must be one of the following types: (a) a supplied-air respirator (MSHA/NIOSH approval number prefix TC-19C) OR (b) a self-contained breathing apparatus (SCBA) (MSHA/NIOSH approval number prefix TC-13F).

Under normal soil fumigation conditions, the air concentration level of chloropicrin in the working area will not generally exceed 0.1 ppm AND the air concentration level of methyl bromide in the working area will not generally exceed 5 ppm; therefore, no respiratory protection is required. However, there is the possibility of a spill or leak during soil fumigation. Therefore, a respirator of a type specified above must be available and will be required for entry into an affected area in the event of a leak or spill.

WORK SAFETY REQUIREMENTS

- Do not wear jewelry, gloves, goggles, tight clothing, rubber protective clothing, or rubber boots when handling. Methyl bromide and chloropicrin are heavier than air and can be trapped inside clothing and cause skin injury.
- If liquid fumigant splashes or spills on clothing, remove them at once, as fumes will be an intolerable source of irritation.
- Immediately after contamination remove outer clothing, shoes, and socks. Do not reuse contaminated clothing or shoes until cleaned. Keep and wash the clothing and shoes separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.
- Follow manufacturer's instructions for cleaning/maintaining protective eyewear, face shields and respirators.

USER SAFETY RECOMMENDATIONS

Users should:

- 1) Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- 2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- 3) Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARD

This pesticide is toxic to wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARD

Do not use containers or application equipment made of magnesium, aluminum, or their alloys, as under certain conditions this fumigant may be severely corrosive to such metals. Do not permit water to be used to clean the fumigant pressure system as corrosion will result. Diesel oil is satisfactory for this purpose.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING. DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT WORKERS OR OTHER PERSONS, EITHER DIRECTLY OR THROUGH DRIFT. ONLY PROTECTED HANDLERS MAY BE IN THE AREA DURING APPLICATION. FOR ANY REQUIREMENTS SPECIFIC TO YOUR STATE OR TRIBE, CONSULT THE AGENCY RESPONSIBLE FOR PESTICIDE REGULATION.

PLACARDING OF FUMIGATED AREAS

The applicator (or supervisor of the application) must placard all entrances to the fumigated area with signs bearing:

- skull and crossbones symbol
- "DANGER/PELIGRO"
- "Area under fumigation, DO NOT ENTER/NO ENTRE"
- "Methyl Bromide and Chloropicrin Fumigants in use"
- the date and time of fumigation
- name, address, and telephone number of the applicator

Do not allow entry by unprotected persons into the fumigated area until the signs are removed. Such signs must only be removed when the air concentration level of chloropicrin is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide is measured to be less than 5 ppm. Signs must remain legible during the entire posting period. Warning signs are available from your dealer or distributor.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements in this labeling about personal protective equipment, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS). **No instructions elsewhere on this labeling relieve users from complying with the requirements of the WPS.**

ENTRY RESTRICTIONS: Greenhouse Soil Fumigation: Entry (including early entry that would otherwise be permitted under the WPS) by any person—other than a correctly trained and equipped handler who is performing a handling task permitted by the WPS—is PROHIBITED in the entire greenhouse (entire enclosed building/structure) from the start of application until 48 hours after application AND until the air concentration level of chloropicrin in the working area is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide in the working area is measured to be less than 5 ppm. Until the aeration of the soil is complete (usually 10-14 days), non-handlers are permitted in the greenhouse ONLY while the air concentration level of chloropicrin in their working area remains less than 0.1 ppm AND the air concentration level of methyl bromide in their working area remains less than 5 ppm. If tarps are used for the application, non-handler entry is prohibited during tarp removal and until the air concentration level of chloropicrin in the working area is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide in the working area is measured to be less than 5 ppm. **Outdoor Soil Fumigation:** Entry (including early entry that would otherwise be permitted under the WPS) by any person—other than a correctly trained and equipped handler who is performing a handling task permitted on this labeling—is PROHIBITED from the start of application until 48 hours after application. In addition, if tarps are used for the application, non-handler entry is prohibited while tarps are being removed.

NOTIFICATION: Notify workers of the application by warning them orally and by posting fumigant warning signs, as described in the "Placarding of Fumigated Areas" section of this labeling. Post the fumigant warning sign instead of the WPS sign for this application, but follow all WPS requirements pertaining to location, legibility, size, and timing of posting and removal. **Greenhouses—Soil Fumigation:** Post the fumigant warning signs outside all entrances to the entire greenhouse (entire enclosed building/structure). **Outdoor Soil Fumigation:** Post the fumigant warning signs at entrances to treated areas.

PPE FOR ENTRY DURING ENTRY-RESTRICTED PERIOD: PPE for entry that is permitted by this labeling is listed in the "Hazards to Humans and Domestic Animals" section of this labeling.

PRECAUTIONS FOR SOIL FUMIGATION USE

PRIOR TO FUMIGATION:

1. Comply with all local regulations and ordinances. Obtain an application permit from Agricultural Regulatory Agencies as required.
2. Never fumigate alone. It is imperative always to have an assistant and proper protective equipment in case of accidents.
3. Drivers of application equipment must advise other workers of all precautions and procedures. In addition, drivers must instruct their helpers in the mechanical operation of the tractor and how to safely work with the tractor and driver while fumigating.
4. Handle this fumigant in the open, with the operator "up wind" from the container where there is good ventilation.
5. Check fumigant pressure system for leaks before beginning operation.
6. Two trained persons must be present during introduction of the fumigant.
7. When fumigating soil from a tractor, 5 gallons of water must be carried on the tractor and placed where it is readily accessible. In addition to water available on the tractor, at least 5 gallons of additional water must be available from the service truck. This water must be potable and in containers marked "Decontamination water not to be used for drinking."
8. Field should be reasonably free of trash before starting the fumigation.
9. Post all treated areas with warning signs.

DURING FUMIGATION:

1. This fumigant should not be applied when there is an atmospheric inversion. Since uncomfortable concentrations of chloropicrin may drift to nearby areas, immediately cover treated area with plastic tarpaulin for a minimum of 48 hours when the injection depth is less than 10 inches.
2. Do not lift injection shanks to turn at the end of a pass until fumigant has drained from system following closure of shutoff valve.
3. If trash is inadvertently pulled by the shanks to the ends of the field when fumigating, it must be covered by lifting the shanks, then covering the trash with polyethylene film before making the turn for the next pass.
4. When changing the cylinders, be certain they are turned off and fumigant system is not under pressure. Do not open the system when there are people or structures downwind where exposures above the permissible exposure levels could occur.

AFTER FUMIGATION: Keep pets, livestock, and other domestic animals out of the treated area during application, during the exposure period as specified for applications in Directions for Use, and during removal of tarpaulin. Two trained persons must be present during removal of the tarpaulin.

SPILL AND LEAK PROCEDURES FOR SOIL FUMIGATION: In case of a rupture of hose or fitting while applying fumigant, immediately stop tractor and motor. Evacuate everyone from the immediate area of the spill or leak. Wear the personal protective equipment (including prescribed respirators) specified in the Hazard to Humans section of this labeling for entry into affected area to correct problem. Approach from upwind to make necessary repairs. Do not enter area without the required PPE until the spill has evaporated or the leak has been fixed.

NOTE CAREFULLY: Fumigation may temporarily raise the level of ammonia nitrogen and soluble salts in the soil. This is most likely to occur when heavy rates of fertilizer and fumigant are applied to soils that are either cold, wet, acid, or high in organic matter. To avoid injury to plant roots, fertilize as indicated by soil tests made after fumigation. To avoid ammonia injury and/or nitrate starvation to crops, avoid using fertilizers containing ammonium salts and use only fertilizers containing at least 30% nitrates until the crop is well established and the soil temperature is above 65 degrees F. Liming highly acid soils before fumigation stimulates nitrification and reduces the possibility of ammonia toxicity.

GENERAL INSTRUCTIONS

THIS FUMIGANT IS A HIGHLY HAZARDOUS MATERIAL AND SHOULD BE USED ONLY BY INDIVIDUALS TRAINED IN ITS PROPER USE. BEFORE USING, READ AND FOLLOW ALL LABEL PRECAUTIONS AND DIRECTIONS. ALL PERSONS WORKING WITH THIS FUMIGANT MUST BE KNOWLEDGEABLE ABOUT THE HAZARDS AND TRAINED IN THE USE OF REQUIRED RESPIRATOR EQUIPMENT AND DETECTOR DEVICES, EMERGENCY PROCEDURES, AND PROPER USE OF THE FUMIGANT.

GENERAL INFORMATION

This fumigant is a preplant soil fumigant for control of soil-borne pests as listed: Diseases caused by certain species of *Rhizoctonia*, *Phythium*, *Fusarium*, and *Phytophthora*, wireworms, nematodes (including *Meloidogynae*, *Pratylenchus*, *Tylenchus*, *Xiphinema*, *Criconemoides*, and *Paratylenchus*, species), broadleaf and grassy weeds (including: quackgrass, annual bluegrass, broomrape, common lambsquarters, torpedograss, nutsedge, and bermudagrass). This fumigant is not effective against mallow, filaree, dodder, some species of clover, and certain other hard seeded weeds. It is to be used in soil to be planted to the crops listed below.

SOIL PREPARATION: Prior to application, the soil should be in condition for planting and with sufficient moisture to support seed germination. When fumigating for the control of nutsedge, the soil should be ripped to a depth of at least 15 inches.

APPLICATION: Apply this fumigant by means of chisels spaced from 12" to 18" apart and 5 to 8 inches below the soil surface. To seal the fumigant after application, drag or cultipack immediately behind chisels or cover with a gas-tight tarpaulin.

AERATION: Remove tarpaulin after 48 hours. Allow the soil to aerate for two weeks before planting. If odors of fumigant persist beyond this two-week period, disc or plow the soil to help aeration.

DOSAGE TABLE - SOIL FUMIGATION USES	
<i>Land To Be Planted To:</i>	<i>Lbs./Acre^{1,2}</i>
Food Crops	250 - 375
Floral Crops and Nursery Crops	300 - 400
Plant and Seed Beds ³ , Non-food and Non-feed Crops	300 - 825

¹Row or bed applications may be made at the broadcast rates, but the amount used will be proportionately less per acre depending on the row spacing and width of treatment in the row or bed.

²Use the higher rates for nutsedge control.

³For production of transplants.

FOR USE WEST OF ROCKY MOUNTAINS ONIONS, DIRECT SEEDED

APPLICATION: Treatment can be made whenever soil conditions are suitable. In northern states, late summer or early fall treatments are best for land to be planted to early spring crops. Follow application directions as described above.

USE: For control of White Rot, weeds (grasses) and Nematodes.

DOSAGE: 400 lbs/Acre

LIMITATIONS: Use restricted to west of the Rocky Mountains. Do not treat any field more than once every twelve months.

FOR USE IN CALIFORNIA ONLY ASPARAGUS AND LETTUCE

APPLICATION: Follow application directions as described above.

DOSAGE AND USE TABLE:

Crop	Use	Rate	Aeration
Asparagus	Fungus diseases (damping off, <i>Phythium</i> spp.)	400-530 lbs/A	Remove tarpaulin after 48 hrs
	Weeds (grasses), Nematodes		
Lettuce	Weeds (including oxalis)	400-530 lbs/A	Remove tarpaulin after 48 hrs
	Nematodes		
	Big Vein	270-400 lbs/A	

LIMITATIONS: For use in California only. Do not harvest asparagus during year of treatment. Use on lettuce fields only once in 2 to 3 years.

**DECIDUOUS FRUITS, NUTS, CITRUS, VINEYARDS
AND OTHER PERENNIAL WOODY PLANTS**

APPLICATION: (Note: Do not harvest crop for 24 months after fumigation.) Prior to planting, apply methyl bromide at a rate and exposure time that is indicated in the dosage instructions by means of chisels spaced not more than 5-1/2 feet apart. Inject at a depth of not less than 20 inches. To seal fumigant after application for disease control, cover immediately with a gas tight tarpaulin by means of a mechanical tarp layer. The soil should be ripped to not less than 30 inches and the subsurface should be as dry as possible. Excess moisture will block deep penetration of the methyl bromide. Clay soils and soils that drain poorly may be dried out by planting sudan grass and then withholding water during the summer. This will increase penetration of methyl bromide.

Back hoeing and augering are alternative methods of applying methyl bromide to tree site. Attach a methyl bromide dispenser to the cylinder of methyl bromide and attach it to a polyethylene applicator tube. The correct dosage can be measured with the dispenser and then applied through the tube. Peat soils and soils very high in organic content should not be fumigated to control *Armillaria mellea* with methyl bromide.

USE: Deciduous fruits, nuts, citrus, vineyard, and other woody plants for control of *Armillaria* root rot; *Phytophthora* root rot; Crown rot fungus; Citrus nematodes; Burrowing nematodes; Root Nematodes; Root knot Nematodes

DOSAGE: 400 - 650 lbs/acre. Minimum exposure 5 to 7 days.

USE: Tree Sites for control of *Phytophthora* root rot; *Armillaria* root rot in light sandy soils and fine textured clay soil.

DOSAGE: 1 to 1-1/2 lbs/100 sq.ft.

AERATION: In cold climates, treat in Fall and plant the following Spring. In warm climates, do not plant until 30 days after application.

GREENHOUSE SOIL FUMIGATION

This soil fumigant may be used in field or in greenhouse. When used in greenhouse, the following safety precautions must be strictly observed:

PRIOR TO FUMIGATION: The use of methyl bromide in confined spaces presents a potential hazard to humans and plant life. Special precautions must be made in order that these potential hazards be minimized. It is the responsibility of the individual supervising the fumigation operation to see that all safety precautions are strictly observed. Before the fumigation operation commences, the supervisor of the fumigation job shall have conducted proper training of all personnel involved in the fumigation (including use of safety equipment), removed all persons from the area not directly involved in the fumigation, and inspected the equipment to insure a proper aeration.

DURING FUMIGATION: The exposure time should be as specified in the applications' directions for use. If a wind is blowing, all injections should be made upwind from a previous injection site. Immediately after injection of the fumigant and tarping, a qualified person wearing protective equipment should monitor the area with a halide leak detector. If excessive leaks are found, the source of the leak should be resealed immediately. During this operation, all windows and doors should be open and fans operating to maximize ventilation.

ON-SITE PROTECTIVE EQUIPMENT: Although this fumigant contains chloropicrin, the absence of chloropicrin does not always indicate the absence of methyl bromide. Do not allow any person to enter the fumigated structure without the appropriate protective equipment from the time of injection of the fumigant until acceptable air concentration level readings are obtained using an approved detector. To maintain adequate safety standards, the following equipment must be present and accessible on the site during the entire fumigation operation: (1) one or more self-contained breathing apparatus; (2) one or more replacement air bottles per breathing apparatus; and (3) one or more halide leak detectors.

AFTER FUMIGATION: At the end of the exposure period, remove all seals and open all doors and windows that are operational. Allow for complete ventilation. Use ventilation fans whenever possible to remove fumigant from dead air pockets. Follow exactly the instructions in the entry restriction section of the Agricultural-Use Requirements box.

Note: Certain materials absorb methyl bromide during fumigation and desorption during aeration may call for extended monitoring and aeration periods.

DRAEGER GAS DETECTOR, BENDIX GASTECH DETECTOR: (Hand Pump and Detector Tube) Methyl bromide may be detected at the Threshold Limit Value (T.L.V.) of 5 ppm. Detectors are available from Soil Chemicals Corporation.

HALIDE LAMP DETECTOR: Color of the flame is an index of the concentration of methyl bromide present. The following tabulated information provides an index of flame color and concentration of methyl bromide present.

METHYL BROMIDE PPM	LB./1000 CU. FT.	FLAME COLOR (DAYLIGHT*)
0	0	None
25	0.00625	None
50	0.0125	Moderate Green
125	0.031	Green
250	0.0625	Strong Green
500	0.125	Strong Blue-Green Fringe
800	0.20	Strong Blue-Green
1000	0.25	Blue

*Nighttime color is identical, but allowance must be made for the bluish cast of the flame itself.

NOTE: Halide lamp detector is suitable for locating leaks and for determining extent of aeration down to approximately 50 ppm. It is not suitable for clearing a structure for reentry.

FOR USE IN FLORIDA

CITRUS CONTROL OF PHYTOPHTHORA IN SANDY SOILS

This is a preplant or replant treatment. Trees which are planted in this treated soil will not bear harvestable fruit for a period of at least 24 months. Use a minimum of 1 to 1-1/4 pounds per 100 square feet. Expose to fumigation for 48 hours, covering treated area with a 4 mil. tarpaulin. Will control disease to a depth of 4 feet. Aerate 2 weeks before setting transplants in treated area.

STORAGE AND DISPOSAL

STORAGE AND HANDLING: Store in a dry, cool, well-ventilated area under lock and key. Post as a pesticide storage area. Do not contaminate water, food, or feed by storage. Persons moving, handling, or opening containers must wear the personal protective equipment (including prescribed respirators when necessary) specified in the Hazard to Humans section of this labeling. Open container only in a well-ventilated area. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured. Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use. When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose.

RETURN OF CYLINDERS: Return cylinders to Cardinal Professional Products, 8770 Highway 25, Hollister, CA 95023. Cylinders are the property of Cardinal Professional Products and should be returned promptly by collect auto freight. When a cylinder is partially full and there is no further requirement for the product, contact the company for return instructions.

SHIPPING: This fumigant is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin and Methyl Bromide mixtures, 2.3, UN 1581, Poison-Inhalation Hazard, Hazard Zone B and no exemptions from specifications, packaging, marking, or labeling are allowed. Describe empty cylinders as having last contained Chloropicrin and Methyl Bromide mixtures (inhalation hazard). Do not ship with foods, feeds, or clothing.

SPILL AND LEAK PROCEDURES: Evacuate everyone from the immediate area of the spill or leak. For entry into affected area to correct problem, wear the personal protective equipment (including prescribed respirator) specified in the Hazards to Humans section of this labeling. Move leaking or damaged containers outdoors or to an isolated location. Observe strict safety precautions. Work upwind, if possible. Allow spilled fumigant to evaporate. Only correctly trained and PPE-equipped handlers are permitted to perform such cleanup. Do not permit entry into the spill or leak area by any other person until the air concentration level of chloropicrin is measured to be less than 0.1 ppm AND the air concentration level of methyl bromide is measured to be less than 5 ppm. Contaminated soil, water, and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 lbs. is exceeded.

DISPOSAL: Do not contaminate water, food, or feed by disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

WARNING: Contains methyl bromide, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

WARRANTY DISCLAIMER

NOTICE: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.