

# SAFETY DATA SHEET

Date Prepared : 5/22/2015

SDS No : Conquer\_SDS

## Conquer

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Conquer  
**GENERAL USE:** Biodegradable Emulsifier  
**PRODUCT CODE:** H10-30060

**MANUFACTURER**

Ultra-Chem Inc.  
8043 Flint  
Lenexa, KS 66214

**Emergency Phone:** 913-492-2929**Customer Service:** 800-451-0726**Transportation:** 800-535-5053**24 HR. EMERGENCY TELEPHONE NUMBERS**

Infotrac 800-535-5053

### 2. HAZARDS IDENTIFICATION

**GHS CLASSIFICATIONS****Health:**

Skin Corrosion / Irritation, Category 1  
Serious Eye Damage / Eye Irritation, Category 1

**GHS LABEL**

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)



Corrosion

**SIGNAL WORD:** DANGER**HAZARD STATEMENTS**

H314: Causes severe skin burns and eye damage.

**PRECAUTIONARY STATEMENTS****Prevention:**

P264: Wash face, hands and any exposed skin thoroughly after handling.

**Response:**

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P341: IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P314: Get medical advice/attention if you feel unwell.

**Storage:**

P405: Store locked up.

**Disposal:**

P501: Dispose of contents/container to an approved waste disposal plant.

**EMERGENCY OVERVIEW**

**PHYSICAL APPEARANCE:** Colored Liquid

#### POTENTIAL HEALTH EFFECTS

**EYES:** Corrosive, contact causes severe eye burns.

**SKIN:** Corrosive, causes skin burning.

**INGESTION:** Toxic if swallowed.

**INHALATION:** Over exposure can be toxic

#### REPRODUCTIVE TOXICITY

**REPRODUCTIVE EFFECTS:** No known significant effects or critical hazards.

**TERATOGENIC EFFECTS:** No known significant effects or critical hazards.

**CARCINOGENICITY:** No known significant effects or critical hazards.

**MUTAGENICITY:** No known significant effects or critical hazards.

**MEDICAL CONDITIONS AGGRAVATED:** Pre-existing disorders involving any target organs mentioned in this SDS as being at risk be aggravated by over-exposure to this product.

**ROUTES OF ENTRY:** Dermal contact. Eye contact. Inhalation. Ingestion.

**TARGET ORGAN STATEMENT:** Contains material which may cause damage to the following organs: blood, kidneys, lungs, liver, lymphatic system, upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
2- Butoxyethanol	< 10	111-76-2
Silicic Acid (h2sio3), Disodium Salt	< 5	6834-92-0
Potassium Hydroxide	< 5	1310-58-3

### 4. FIRST AID MEASURES

**EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or Poison Control Center Immediately.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** Rinse mouth. Do NOT induce vomiting. Call a physician or Poison Control Center.

**INHALATION:** Move to fresh air in case of accidental inhalation of vapors or decomposition products. Get medical attention immediately if symptoms occur.

**NOTES TO PHYSICIAN:** No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### 5. FIRE FIGHTING MEASURES

**GENERAL HAZARD:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training.

**EXTINGUISHING MEDIA:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**OTHER CONSIDERATIONS:** In a fire or if heated, a pressure increase will occur and the container may burst.

**EXPLOSION HAZARDS:** None

**FIRE FIGHTING EQUIPMENT:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**SENSITIVE TO STATIC DISCHARGE:** None

**SENSITIVITY TO IMPACT:** None

**HAZARDOUS DECOMPOSITION PRODUCTS:** Decomposition products may include the following materials: carbon dioxide, carbon monoxide, metal oxide/oxides

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if not water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**LARGE SPILL:** Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

**GENERAL PROCEDURES:** No action should be taken involving and personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. put on appropriate personal protective equipment.

**RELEASE NOTES:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**SPECIAL PROTECTIVE EQUIPMENT:** Avoid breathing vapors and provide adequate ventilation. As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).

## 7. HANDLING AND STORAGE

**HANDLING:** Ensure adequate ventilation. Wear personal protective equipment as required based on a risk assessment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

**STORAGE:** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food or drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
2- Butoxyethanol	TWA	50	240	20	97	NL	NL
	STEL					NL	NL

**ENGINEERING CONTROLS:** Use only with adequate ventilation. use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles with the use of any liquid products.

**SKIN:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**RESPIRATORY:** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**WORK HYGIENIC PRACTICES:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Fragranced

**APPEARANCE:** Colored Liquid

**pH:** 12.5 to 13.5

**FLASH POINT AND METHOD:** > (200°F) Closed cup

**AUTOIGNITION TEMPERATURE:** No data available

**VAPOR PRESSURE:** No data available

**VAPOR DENSITY:** No data available

**BOILING POINT:** (212°F) to (340°F)

**MELTING POINT:** No data available

**THERMAL DECOMPOSITION:** No data available

**SOLUBILITY IN WATER:** Completely soluble

**EVAPORATION RATE:** No data available

**SPECIFIC GRAVITY:** 1.07 to 1.08

**(VOC):** Product meets California Air Resources Board (CARB) standards for Volatile Organic Compounds.

## 10. STABILITY AND REACTIVITY

**STABLE:** Yes

**HAZARDOUS POLYMERIZATION:** No

**STABILITY:** Stable under recommended storage conditions.

**POLYMERIZATION:** Hazardous polymerization does not occur.

**POSSIBILITY OF HAZARDOUS REACTIONS:** Under normal conditions of storage and use, hazardous reactions will not occur.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**INCOMPATIBLE MATERIALS:** Aluminum, copper, zinc and strong acids.

## 11. TOXICOLOGICAL INFORMATION

**EYE EFFECTS:** Causes serious eye irritation.

**SKIN EFFECTS:** Causes severe skin burns.

**CHRONIC:** No data available

**REPEATED DOSE EFFECTS:** No data available

**IRRITATION:** Severe irritant to eyes and skin.

**SENSITIZATION:** No data available

**NEUROTOXICITY:** No data available

**GENETIC EFFECTS:** No data available

**REPRODUCTIVE EFFECTS:** No data available

**TERATOGENIC EFFECTS:** No data available

**MUTAGENICITY:** No data available

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** This material has not been tested for acute environmental effects.

**ECOTOXICOLOGICAL INFORMATION:** No known significant effects or critical hazards.

**BIOACCUMULATION/ACCUMULATION:** No evidence to suggest bio-accumulation will occur.

**DISTRIBUTION:** No data available

**CHEMICAL FATE INFORMATION:** No data available

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** This material, as supplied, is not a hazardous waste according to federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixing with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**EMPTY CONTAINER:** Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

#### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** Corrosive Liquid N.O.S.

**TECHNICAL NAME:** (Contains: Caustic Potash)

**PRIMARY HAZARD CLASS/DIVISION:** 8

**UN/NA NUMBER:** UN1760

**PACKING GROUP:** III

**LABEL:** Corrosive

**OTHER SHIPPING INFORMATION:** All products offered for domestic ground transportation that meet the following Exceptions for Class 8 (corrosive materials) will be packaged and shipped as "Limited Qty".

(1) For corrosive materials in Packing Group II, inner packagings not over 1.0 L (0.3 gallon) net capacity each for liquids or not over 1.0 kg (2.2 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.

(2) For corrosive materials in Packing Group III, inner packagings not over 5.0 L (1.3 gallon) net capacity each for liquids or not over 5.0 kg (11 lbs) net capacity each for solids, packed in a strong outer packaging with a gross package weight of 66 lbs or less.

### 15. REGULATORY INFORMATION

#### UNITED STATES

#### DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



Corrosive



Limited  
Quantity  
Ground

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

#### CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Wt.%	CERCLA RQ
Potassium Hydroxide	< 5	1,000

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
2- Butoxyethanol	111-76-2
Silicic Acid (h2sio3), Disodium Salt	6834-92-0
Potassium Hydroxide	1310-58-3


## 16. OTHER INFORMATION

PREPARED BY: KH Date Prepared: 5/22/2015

### HMIS RATING

HEALTH		2
FLAMMABILITY		1
PHYSICAL HAZARD		0
PERSONAL PROTECTION		B

### NFPA CODES



**MANUFACTURER DISCLAIMER:** The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.